

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((("20020012320") or ("7058009") or ("7159035")). PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 11:01
L2	10170	"IP address".clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:50
L3	2840	"port number".clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:50
L4	692	"GTP".clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:50
L5	3721	"Operational state".clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:51
L6	53	"path integrity".clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:51
L7	1	L2 AND L3 AND L4 AND L5 AND L6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/10 14:51
S1	32826800	(@pd<"20040312" OR @rlad<"20040312" OR @ptad<"20040312" OR @ad<"20040312")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:38
S2	12266	370/329.ccls. OR 370/338. ccls. OR 370/392.ccls. OR 370/401.ccls	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:40
S3	5103	(link NEAR2 (information OR status)) NEAR10 (table OR database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:41

S4	130561	((rout\$3 OR link) NEAR3 (information OR status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:50
S5	20377	S4 NEAR20 (table OR database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:50
S6	0	S5 NEAR20 (GTP OR (GPRS ADJ tunneling ADJ protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:51
S7	56	S5 AND (GTP OR (GPRS ADJ tunneling ADJ protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 16:51
S8	421	(GTP OR (GPRS ADJ tunneling ADJ protocol)) ADJ3 (message OR signal OR packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 17:00
S9	318	S1 AND S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 17:00
S10	84	S4 AND S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 17:01
S11	30146	(updat\$3 OR stor\$3) SAME ((link OR route OR connection) NEAR3 (status OR operation OR mode OR state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:14
S12	7282	(table OR database OR storage) SAME ((IP OR internet) NEAR3 address) SAME port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:16
S13	103	S11 SAME S12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:16
S14	30593	(SGSN OR GGSN OR RNC OR GTP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:22

S15	3	S13 AND S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:22
S16	12266	370/329.ccls. OR 370/338. ccls. OR 370/392.ccls. OR 370/401.ccls	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 14:35
S17	3	S13 AND S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 14:35
S18	6	S13 AND GPRS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 15:19
S19	11912	(message OR packet) WITH ((link OR route OR connection) NEAR3 (status OR operation OR mode OR state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 16:13
S20	559	port WITH address WITH (updat\$3 OR record\$3) WITH (connectivity OR status OR operation\$2 OR enable OR disable OR state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 16:57
S21	114314	(table OR database) WITH (link OR path OR route)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 16:58
S22	18	S20 WITH S21	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 16:58
S23	3225	port WITH address WITH (updat\$3 OR record\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:10
S24	15815	(connectivity OR status OR operation\$2 OR enable OR disable OR state) WITH (table OR database) WITH (link OR path OR route)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:14
S25	12848	(SGSN OR GGSN OR RNC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:22

S26	1	S23 SAME S24 SAME S25	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:22
S27	39	S23 SAME S24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:23
S28	15305	((IP NEAR3 address) WITH port)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:47
S29	1147030	(determin\$3 OR stor\$3 OR generat\$3 OR record\$3) WITH (state OR status)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:49
S30	227	S28 WITH S29	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:50
S31	12884	(determin\$3 OR stor\$3 OR generat\$3 OR record\$3) WITH ((path OR link OR route) NEAR3 (state OR status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:51
S32	7	S28 WITH S31	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:51
S33	12	S28 SAME S31	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:54
S34	5	S33 NOT S32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 17:54
S35	14	((("20020021689") or ("20020061001") or ("20020122394") or ("20030039237") or ("20040014467") or ("20040028060") or ("6243585")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 22:11
S36	3	"6608832".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 22:47

4/ 10/ 2008 4:30:53 PM

C:\ Documents and Settings\ bliu\ My Documents\ EAST\ Workspaces\ 10800214_2nd_action.wsp